









Brigade Standpipes

Our Brigade Standpipes are connected into an underground hydrant as part of a mains water supply. Standpipes without non-return valves are intended for use by fire brigades in emergency applications whereas other users should be using a standpipe with a non-return valve in order to prevent back-flow of contaminated water into the mains system.

Parsch UK manufacture a wide variety of Brigade Standpipe options including screw in and plug in head configurations with options including double check valves and both single and double headed variants. Outlets are 2 1/2" female instantaneous and inlet options are 2 1/2" BSRT female or 2 1/2" Male Belfast V Thread.

MATERIALS:

Parsch UK Standpipes are manufactured using both BS1490 LM25 and 6082 T6 Aluminium. The gaskets both in the base and head of the standpipes are made of NBR Rubber.

Our double check valves are WRAS approved and conform with EN13959, with the body made of body DZR and its non-return core being POM.

TESTING:

All of our standpipes are tested and certified in house using a 'Hydrostatic Pressure Test Procedure' to 16 bar working pressure. During testing the standpipes are pressurised to 22.5 bar for a minimum period of 2 minutes.



Please note, whilst the double check valve is WRAS Approved, the standpipes are not.











WE FABRICATE OUR BRIGADE STANDPIPES FROM OUR UK FACILITY USING DURABLE MATERIALS FOR EMERGENCY AND INDUSTRIAL USE, UNDER A QUALITY MANAGEMENT SYSTEM. ALL STANDPIPE OUTLETS ARE BS336 FEMALE INSTANTANEOUS.



Inlet	Product Code	Head Configuration	Double Check Valve	Water Meter
2.5" BSRT Female Inlet	MS1	Single Head - Screw In	No	No
	MS2	Double Head - Screw In	No	No
	MS1V	Single Head - Screw In	Yes	No
	MS2V	Double Head - Screw In	Yes	No
	MS1PH	Single Head - Plug In	No	No
	MS1VPH	Single Head - Plug In	Yes	No
	MS1VWM	Single Head - Screw In	Yes	Yes
	MS1VWMPH	Single Head - Plug In	Yes	Yes
	MS2VWM	Double Head - Screw In	Yes	Yes



Inlet	Product Code	Head Configuration	Double Check Valve	Water Meter
2.5" Belfast V thread	MS1BELVM	Single Head - Screw In	No	No
	MS2BELVM	Double Head - Screw In	No	No
	MS1BELVV	Single Head - Screw In	Yes	No
	MS2BELVV	Double Head - Screw In	Yes	No
	MS1BELVMPH	Single Head - Plug In	No	No
	MS1BELVVPH	Single Head - Plug In	Yes	No
	MS1BELVMWM	Single Head - Screw In	Yes	Yes
	MS1BELVMWMPH	Single Head - Plug In	Yes	Yes
	MS2BELVMWM	Double Head - Screw In	Yes	Yes







WE FABRICATE OUR BRIGADE STANDPIPES FROM OUR UK FACILITY USING DURABLE MATERIALS FOR EMERGENCY AND INDUSTRIAL USE, UNDER A QUALITY MANAGEMENT SYSTEM. ALL STANDPIPE OUTLETS ARE BS336 FEMALE INSTANTANEOUS.



Inlet	Product Code	Head Configuration	Double Check Valve	Water Meter
Bayonet Inlet	MS1BAYONET	Single Head - Screw In	No	No
	MS2BAYONET	Double Head - Screw In	No	No
	MS1VBAYONET	Single Head - Screw In	Yes	No
	MS2VBAYONET	Double Head - Screw In	Yes	No
	MS1PHBAYONET	Single Head - Plug In	No	No
	MS1VPHBAYONET	Single Head - Plug In	Yes	No
	MS1VWMBAYONET	Single Head - Screw In	Yes	Yes
	MS1VWMPHBAYONET	Single Head - Plug In	Yes	Yes
	MS2VWMBAYONET	Double Head - Screw In	Yes	Yes



